







Bm EvoSatellite

Remote pricing and ordering

EvoSatellite - Processing


Features Include:

- Quotations
- Supplier Order
- Detailed Price book
- Comprehensive list of extras
- Costings
- Invoicing
- Acknowledgements
- Glass Orders
- Panel Orders
- Multi segment coupled frames
- Flag Frames
- Shaped Frames
- Individual Aperture Glazing



Process a selection of products

Bays & Bows



Bays & Bows can be calculated using:-

- Outer or Reveal sizes
- Input of set angles
- Projections and segment sizes

Welded Cill



The Welded Cill feature in EvoSatellite is a quick and easy way of producing multi faceted products on a range of bespoke cill shapes.

On-Line Ordering & Email



If a dedicated server with terminal services application is in use at your frame supplier then you will be able to log in to the server and price or process directly online. Alternatively when an order is completed the user will have the option to pass it directly to the supplier via email.

Pricebook

EvoSatellite holds on file price grids for all products plus prices for extra items.

Pricebook is integrated from Evolution and holds on file price grids for all products and prices for extra items combined with a comprehensive and flexible discount structure for each customer.

70mm Casement Int Glazed : Price grid Item #112...

	W/H	600	700	800
▶	900	110	119	128
	1000	111	120	129
	1100	112	121	130
	1200	113	122	131
	1300	113	123	132
	1400	114	123	133
	1500	115	124	134
	1600	116	125	135
	1700	117	126	136
	1800	118	127	137
	1900	118	128	138
	2000	119	129	139
	2100	120	130	140

Design : Item #105 : Style 105

Hide

BH Super Frames
Dallam Court
Dallam Lane
Warrington
Cheshire
WA2 7LT
TEL: 01925 422955
FAX: 01925 576308

SUPPLIER ORDER (2 FRAMES)

OUR REF: 1303
BM001
JOB SPEC: Unglazed
DEL DATE: 23/03/2010 12:00:00
DATE: 18-Mar-2010
Page 1 of 3

1 x White 70mm Casement

O/A Dim 1235mm x 1100mm

Frame (Head)	20mm	Frame (Right jamb)	20mm
Frame (Left jamb)	20mm	Sash	15mm
Transom	20mm T.G.	Sash drip bar	T.G. Sash
Frame drip bar	No drip bar	Add-on	No drip bar
150mm Cill	150mm Cill	Add-on (Left jamb)	No add-on
Add-on (Cill)	No add-on	Ventilator (Head)	No ventilator
Add-on (Right jamb)	No add-on	Ventilator (Jamb)	No ventilator
Ventilator (Sash)	No ventilator	Ventilator (Glass)	No ventilator
Ventilator (Frame)	No ventilator	Colour	White
Sash colour	White	Cil colour	White
Drainage	Concealed/Beak	Normal Glazing Bead	Beak type
Handle	100mm Easy Handle	No Restrict	Open in/out
Friction stay	Standard Friction Stay	Clear in/out	Normal Reinforcing
Viewed from	Viewed from outside	Glass 16mm	Glass 16mm
Glazed in/out	Glazed in	Glazing method	Push (For in/out)
Reinforcing type	Steel Reinforcing	Spacer	4204 Clear 'C'
Glazing bead	Glazed in	Glazing type	Glass 6mm
Sash bottom joint	20mm	Viewed from	Viewed from outside
Track/Adjust joint	20mm	Sash Insulator	None
Spacer bar	20mm Silver Spacer		
Apert Filled			

REMARKS:
A1 4-20-4 Clear 'X': 4mm Clear Annealed 'X': 4mm Clear Annealed (1055 x 245)
A5 4-20-4 Clear 'X': 4mm Clear Annealed 'X': 4mm Clear Annealed (1149 x 617)

QUOTATION 1303

Customer: **Business Micros**
Reference: BM001
Quote Date: 18-Mar-2010
Supply & fix Unglazed

BH businessmicros

Dallam Court
Dallam Lane
Warrington
Cheshire
WA2 7LT

Item 2 : 70mm Residential Door

900 x 2100 : 1 off

Sash drip bar	Drip
Cill	150mm Cill
Add-on (Left jamb)	15mm Add-on
Colour	White
Door lock	White Lever/Lever
Viewed from	Type 1 Door Lock:
Open in/out	Viewed from outside

Total Price (Ex VAT) £333.34
Total Price (Inc VAT) £391.67

Reg No
Dallam Court, Dallam Lane, Warrington, Cheshire, WA2 7LT
Tel: 01925 422955, Fax: 01925 576308

Page 1 of 3

QUOTATION 10014

Customer: **Penpont Glazing Ltd**
Reference: 1212/RM
Quote Date: 22-May-2007
Supply only
Glazed

The Cross
Main Street
Penpont
Thornhill
Dumfriesshire
DG3 4BP

Dear Penpont Glazing Ltd,
We thank you for your recent enquiry and have pleasure in submitting our quotation for the following :-

Item 1 : 2500 Casement	Item 2 : 2500 Resi Door	Item 3 : 2500 Casement
<p>Kitchen 900 x 2100 : 1 off Glazed In/out Internally Glazed Bead type 28mm Flat Bead Colour White Sash colour White Cill colour White Cill 3338 150mm Cill Handle Satin Chrome (Non Lo) Friction stay Standard Stay Ventilator (Head) 2000 Slot Vent</p> <p>A1 4-20-4 Clear 'K': 20mm Silver Spacer A6 4-20-4 Clear 'K': 20mm Silver Spacer</p> <p>Total Price £50.02</p> <p>Remarks :</p>	<p>Door1 900 x 2100 : 1 off Glazed In/out Internally Glazed Bead type 28mm Flat Bead Colour White Sash colour White Cill colour White Cill 3338 150mm Cill Threshold uPVC Threshold Door lock 2 Hook 4 Roller Lock Handle Pol. Chrome Lever/Pa Cylinder Standard Cylinder</p> <p>A1 4-20-4 Clear 'K': 20mm Silver Spacer A6 4-20-4 Clear 'K': 20mm Gold Spacer</p> <p>Total Price £144.54</p> <p>Remarks :</p>	<p>Room1 1200 x 1000 : 1 off Glazed In/out Internally Glazed Bead type 28mm Flat Bead Colour Oak Sash colour Oak Cill colour Oak Cill 3338 150mm Cill Handle Gold Handle (Non Loc) Friction stay Standard Stay</p> <p>A1 4-20-4 Clear 'K': 20mm Gold Spacer A6 4-20-4 Clear 'K': 20mm Gold Spacer</p> <p>Total Price £78.43</p> <p>Remarks :</p>

Door Panels

Optional Panel folders available :

- Benchmark
- Bevel Pane
- Classic door panels
- G.A.P
- GBWendland (Shire)
- Goliath
- Hallmark
- Hurst
- Ireland collection
- North East Panels
- New World Developments
- Phoenix
- Plasway
- Profile Developments
- Rocal
- Sunlight Door Panels
- The Nice Door Panel Collection
- Unique
- Vista
- WB Group

Door Panel ORDER FORM

Tel No: 01925 422955
Fax No: 01925 576308

Dallam Court, Dallam Lane, Warrington, Cheshire , WA2 7LT

Customer Name:-	BM Windows	Your Order No. Job: 1303 Ref: BM001
Customer Address:-	Dallam Court Dallam Lane Warrington Cheshire WA2 7LT	P.Order No. BM001
		Delivery Date Required 28/03/10

Composite Panel Details:

Ref	Qty	Panel type
A1	1	Hallmark Full Panels 28mm Belgrave 1 Glazed Aperture Colour : White Glass : Climbing Rose Clear Silver Bar Reinforcing : Standard Letterbox : - Gold Knocker : - None Numerals : - None Spyhole : - None Cutting : -

Glass

EvoSatellite produces glass orders.

- Printed format
- Standard Fax

Optional Extras

- Automated Fax
- EDI link (automated glass ordering)

GLASS ORDER


Customer : Business Micros	Glazed	Input Info :	20-09-2010 Business Micros
Reference : Sample	Supply & fx	Delivery :	24-09-2010
Job No. : 1	Page 1 of 1	Print Info :	20-09-2010 4:23 pm

BM Super Frames Dallam Court Dallam Lane Warrington WA2 7LT Tel: 01925 422955 Fax: 01925 576308	Invoice address: Business Micros Dallam Court Dallam Lane Warrington WA2 7LT	Delivery address: Dallam Court Dallam Lane Warrington WA2 7LT
---	---	---

Item	Ref	Qty	Width	Height	Glass type	Location	Cost
1	A1	1	765	341	4-20-4 Clear 'K' : 20mm Silver Spacer	1 of 5	£5.40
1	A4	1	765	1011	4-20-4 Clear Tuff 'K' : 20mm Silver Spacer	1 of 5	£18.56
1	D1	1	695	251	4-20-4 Clear 'K' : 20mm Silver Spacer	1 of 5	£5.40
1	D4	1	785	1011	4-20-4 Clear Tuff 'K' : 20mm Silver Spacer	1 of 5	£19.05
1	H1	1	765	341	4-20-4 Clear 'K' : 20mm Silver Spacer	1 of 5	£5.40
1	H4	1	765	1011	4-20-4 Clear Tuff 'K' : 20mm Silver Spacer	1 of 5	£18.56
2	A1	1	574	251	4-20-4 Clear 'K' : 20mm Silver Spacer	2 of 5	£5.40
2	A4	1	664	1011	4-20-4 Clear Tuff 'K' : 20mm Silver Spacer	2 of 5	£16.11
2	F1	1	574	251	4-20-4 Clear 'K' : 20mm Silver Spacer	2 of 5	£5.40
2	F4	1	664	1011	4-20-4 Clear Tuff 'K' : 20mm Silver Spacer	2 of 5	£16.11
3	A1	1	489	1796	4-20-4 Clear Tuff 'K' : 20mm Silver Spacer	3 of 5	£21.08
3	F1	1	489	1796	4-20-4 Clear Tuff 'K' : 20mm Silver Spacer	3 of 5	£21.08
4	A1	1	574	251	4-20-4 Clear 'K' : 20mm Silver Spacer	4 of 5	£5.40
4	A4	1	664	1011	4-20-4 Clear Tuff 'K' : 20mm Silver Spacer	4 of 5	£16.11
4	F1	1	574	251	4-20-4 Clear 'K' : 20mm Silver Spacer	4 of 5	£5.40
4	F4	1	664	1011	4-20-4 Clear Tuff 'K' : 20mm Silver Spacer	4 of 5	£16.11
5	A1	1	765	341	4-20-4 Clear 'K' : 20mm Silver Spacer	5 of 5	£5.40
5	A4	1	765	1011	4-20-4 Clear Tuff 'K' : 20mm Silver Spacer	5 of 5	£18.56
5	D1	1	695	251	4-20-4 Clear 'K' : 20mm Silver Spacer	5 of 5	£5.40
5	D4	1	785	1011	4-20-4 Clear Tuff 'K' : 20mm Silver Spacer	5 of 5	£19.05
5	H1	1	765	341	4-20-4 Clear 'K' : 20mm Silver Spacer	5 of 5	£5.40
5	H4	1	765	1011	4-20-4 Clear Tuff 'K' : 20mm Silver Spacer	5 of 5	£18.56
Total order cost: £272.94							

SUMMARY OF GLAZING				
Glass type	Units	Real Area	Cost Area	Cost
4-20-4 Clear 'K' : 20mm Silver Spacer	10	1.97	3.00	£54.00
4-20-4 Clear Tuff 'K' : 20mm Silver Spacer	12	9.12	9.12	£218.94
Totals:	22	11.09	12.12	£272.94
Current V.A.T Rate : 15.00 %				£40.94
				£313.88

Reports



EvoSatellite reports:

- Quotation
- Bay Cill Layout
- Credit Note
- Glass Decoration Approval
- Panel Order
- Invoice
- Glass Decoration Order Form
- Order Acknowledgement
- Delivery Note
- Glass Order
- Costing Detail
- Collection Note
- Supplier Order
- Welded Cill Layout
- Fitters Note

EvoSatellite PC Specification

Processor:	2.4GHz (Dual/Quad Core)
Memory:	4GB of Ram
Hard Drive:	80GB Hard Drive
Operating System:	Microsoft Windows Vista / Windows 7/8/10
Drive:	Disk Drive
Network:	Gigabit Network Card

All PCs/workstations must have the same operating system.

Disaster Recovery

It is vital that you take all necessary precautions to allow your business to continue to function in the event of a critical hardware failure. Your hardware supplier/support provider should be able to draw up a suitable disaster recovery plan for your business and we advise that offsite backups are taken in addition to any onsite backups in case of fire, flood or theft. You should aim to provide yourself with the ability to reconstruct your entire system on new hardware with minimal disruption to your business.

It is vital that you arrange for your systems be protected with a reputable anti-virus solution



EvoSatellite/ Track-IT Server Specification

Processor :	Intel Xeon multi-core processor (Minimum 2.4GHz)
Memory :	16GB
Hard Drive :	500Gb configured for RAID 5
Operating System :	Microsoft Windows Server 2008/2012/2016 Standard Edition

Notes :

1. If using Microsoft Terminal Services to centralise deployment and improve performance then additional memory may be required depending upon the quantity of simultaneous users. There are also additional licensing considerations where Microsoft Remote Desktop CALs will need to be purchased for each user.
2. Microsoft Small Business Server may be adequate in some circumstances. Please consult us prior to purchase.
3. For optimal performance gigabit networking should be employed not only in each network card but with suitable cabling and switches throughout your network
4. We do not recommend the use of off-site servers for a production environment
5. We do not recommend the use of NAS drives

Each user's requirements differ so we would welcome the opportunity to review any proposed hardware specifications prior to purchase to evaluate their suitability.

Bm businessmicros

World Class Software Solutions for the Window & Door Industry

Other Products:



Retail Management Software

SALES OFFICE

7 & 8 Southworth Business Suites, Southworth Road, Newton-le-Willows, WA12 0HS
Tel +44 (0) 1925 296105 Fax +44 (0) 1925 299897
sales@businessmicros.co.uk

www.businessmicros.co.uk